

Prepared for:

Era Group Inc.

2500 Guenette, Saint-Laurent, Qc, Canada H4R2H2

Product Name: Era Snosnake Adventurer Sled

Model Name: 3000417, 3000418, 6598205

Trade Name: ERA

Date of Test: From November 25, 2022 to November 30, 2022

Date of Report: December 22, 2022

Report Number: HK22112310610-1RR

Prepared by:

Shenzhen HUAK Testing Technology Co., LTD.

1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannont be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.



REPORT No.: HK22112310610-1RR	Date: December 22, 2022	Page 2 of 22
-------------------------------	-------------------------	--------------

Applicant: Era Group Inc.

Address: 2500 Guenette, Saint-Laurent, Qc, Canada H4R2H2

Manufacturer: Era Group Inc.

Address: 2500 Guenette, Saint-Laurent, Qc, Canada H4R2H2

The following sample was submitted and identified by/on behalf of the client as:

Sample Name: Era Snosnake Adventurer Sled

Model No.: 3000417, 3000418, 6598205

Trade Name: ERA

Tested Age Grade: Over 6 years old

Labeled Age Grading: Over 6 years old

Appropriate Age Grade: Over 6 years old

Sample Receiving Date: November 25, 2022

Testing Period: From November 25, 2022 to November 30, 2022

Results: Please refer to next page(s).

Signed for and on behalf of HUAK

Approved by: Lab Manager

Remark: Only selected materials were tested as per client's requirement.



REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 3 of 22

Information of the Test Laboratory

Shenzhen HUAK Testing Technology Co., Ltd.

Add.: 1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community,

Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

Testing Laboratory Authorization:

A2LA Accreditation Code is 4781.01.

FCC Designation Number is CN1229.

Canada IC CAB identifier is CN0045.

CNAS Registration Number is L9589.

CPSC Certification Number is 1710.



REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 4 of 22

Summary of Test Results:

TEST I	REQUEST	CONCLUSION
A	As specified in title 16, code of federal regulations, chapter II- consumer products safety commission of U.S.A	
	1. 16 CFR 1500.48 Sharp point	PASS
	2. 16 CFR 1500.49 Sharp edge	PASS
	3. 16 CFR 1501 Small Objects	PASS
B	16 CFR 1500.3 (C) (6) (vi) Definition of "Flammable Solid", refer to 16 CFR 1500.44 Method for determining extremely flammable and flammable a	ole PASS
HUM	ASTM F963-17 Standard Consumer Safety Specification for Toy Safety	
JK TESTING	1Mechanical and Physical Tests	
	ASTM F963-17 Section 4.6 Small Objects	PASS
	ASTM F963-17 Section 4.7 Accessible Edges	PASS
	ASTM F963-17 Section 4.9 Accessible Points	PASS
	ASTM F963-17 Section 4.11 Nails and Fasteners	PASS
	ASTM F963-17 Section 4.15 Stability and Over-Load Requirements	PASS
	ASTM F963-17 Section 4.39 Jaw Entrapment in Handles and Steering When	els PASS
	- USA Consumer Product Safety Improvement Act (CPSIA) Sec.101 Childre	n's
D TING	products containing Lead; Lead paint rule (CPSC-CH-E1002-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Nonmetal Children's	PASS
	Products) - USA Consumer Product Safety Improvement Act (CPSIA) Sec.108 Prohib on sale of certain products containing specified phthalates	ition HUANTESTA
E	 USA 16 CFR Part 1307 Prohibition of Children's Toys and Child Care Artic Containing Specified Phthalates (CPSC-CH-C1001-09.4 Standard Operatin Procedure for Determination of Phthalates) 	
P HUM	-CPSA Section 14(a) (5) Tracking Labels for Children's Products (15 USC §2063(a)(5) (CPSA))	PASS



REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 5 of 22

Results:

A. As specified in title 16, code of federal regulations, chapter II- consumer products Safety commission of U.S.A

Applicable Section	Description	Result	
16 CFR 1500.48	Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of age.	Pass	
16 CFR 1500.49	Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age.	Pass	
16 CFR 1501	Identifying toys and other articles intended for use by Children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts.	Pass	





REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 6 of 22

B. 16 CFR 1500.3 (C) (6) (vi) Definition of "Flammable Solid", refer to 16 CFR 1500.44 Method for determining extremely flammable and flammable solids.

Applicable Section	Description	Result
16 CFR 1500.3	(C) (6) (vi)	
(vi)	(vi) Flammable solid means a solid substance that, when tested by the method described in 8 1500 44, ignites and burns with a self-sustained flame at a rate greater than one-tenth of an inch per second along its major axis.	Pass
1500.44	Method for determining extremely flammable and flammable solids.	Pass
(a)	Preparation of samples-	
HUAK TESTIME	Granules, powders, and pastes. Pack the sample into a flat, rectangular me inner dimensions 6 inches long x 1-inch-wide x one fourth inch deep.	tal boat with
(2)	Rigid and pliable solids. Measure the dimensions of the sample and support metal ringstands, clamps, rings, or other suitable devices as needed, so the axis is oriented horizontally and the maximum surface is freely exposed to atmosphere.	nat the major
ALL HUA	Procedure. Place the prepared sample in a draft-free area that can be venti after each test.	lated and cleare
(b)	The temperature of the sample at the time of testing shall be between 68 Hold a burning paraffin candle whose diameter is at least 1 inch, so that the contact with the surface of the sample at the end of the major axis for 5 set the sample ignites, whichever is less. Remove the candle. By means of a determine the time of combustion with self-sustained flame. Do not exceed Extinguish flame with a CO2 or similar nondestructive type extinguisher. It dimensions of the burnt area and calculate the rate of burning along the means ample.	ne flame is in econds or until stopwatch, d 60 seconds. Measure the

Sample		Burn rate (in/sec.)	Result	
TES	Plastic	DNI	Pass	

Note: In accordance withthe ASTMF963, the burning rate should not be greater than 0.1 inch per second.

DNI =Did Not Ignited SE= Self-Extinguished IBE= Ignite But Extinguished

AFICATION.



REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 7 of 22

C.1 ASTM F963-17 Standard Consumer Safety Specification for Toy Safety

-Mechanical and Physical Tests

Applicable Section	Description	Result
4 HUAR	Safety requirements	HUAR
4.1	Material quality	Pass
4.3.7	Stuffing Materials	NA NA
4.4	Electrical/thermal energy	NA
4.5	Sound producing toys	NA
4.6	Small objects	Pass
4.7	Accessible edges	Pass
4.8	Projections	NA NA
4.9	Accessible points	Pass
4.10	Wires or rods	MA NA
4.11	Nails and fasteners	Pass
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, Straps, and Elastics	NA MA
4.15	Stability and over-load requirements	Pass
4.16	Confined spaces	NA
4.17	Wheels, tires, and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA STING
4.19	Simulated protective devices	NA MARKET
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA STING
4.26	Toys intended to be attached to a crib or playpen	NA JAN
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller carriage toys	NA
4.29	Art materials	TESTING NA
4.30	Toy gun marking	NA HUM
4.31	Balloons	NA



REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 8 of 22

Applicable Section	Description	Page 8 of 22 Result
4.32	Certain toys with spherical ends	NA NA
4.33	Marbles	NA STING
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yo Yo elastic tether toys	NA MYTESTIM
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	Pass
4.40	Expanding Materials	NA NA
4.41	Toy Chests	NA NA
5	Labeling requirements	
5.2	Age grading labeling	Pass
5.3	Safety labeling requirements	Pass
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA NA
5.7	Stroller and Carriage Toys	NA MATE
5.8	Toys Intended to be Assembled By an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA ME
5.11 <u></u>	Small objects, Small balls, Marbles and balloons	Pass
5.12	Toy Caps	NA
5.13	Art Materials	NA
5.14	Electric Toys	NA
5.15	Battery-Operated Toys	NA
5.16	Promotional Materials	NA
5.17	Magnets	NA STING
HUMKTE 6 HI	Instructional literature	HUAK TES
6.1	Definition and description	Pass
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA STING
6.4	Toys Intended to be Assembled By an Adult	NA WAR
6.5	Battery-Operated Toys	NA



REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 9 of 22

Applicable Section	Description	Result
6.6	Battery Powered Ride-on Toys	NA NA
6.7	Toys in Contact with Food	NA
6.8	Toys Chests	NA
7	Producer's markings	
7.1	Name and address of the producer or distributor	Pass
7.2	Battery-Powered Ride-on Toys	NA NA
7.3	Toy chests	NA

Note:

Use and abuse testing:

Applicable Section	Description	Test Condition	Result	
8.5	Normal use testing	DATE	Pass	
8.6	Abuse testing	THE HUAKTES	Pass	
8.7	Impact test	4dropsat3.0ft.	Pass	
8.8	Torque test	4in-lbs.	Pass	
8.9	Tension test	15 lbs.	Pass	
8.10	Compression test	30lbs.	Pass	

⁻⁻NA= Not Applicable

⁻⁻ NC = Not Conducted (According to customer requirement, no evaluation of this clause)



REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 10 of 22

Tested part(s):

CTING	Seq. no)	TING	Part(s) name	e TING	
II. TES	1	STING	HUAKTE	Red plastic	HUAKTE	STING
	2,00	Alk ,	9	Blue plastic		HUAK

D. USA Consumer Product Safety Improvement Act (CPSIA) Sec.101 Children's products containing Lead; Lead paint rule

(1) Substrate Materials

Test method: With reference to CPSC-CH-E1001-08.3; CPSC-CH-E1002-08.3, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES).

lta	l lmi4	MDI	Results		l imais
Item	Unit	MDL	9 1	2	Limit
Lead Content (Pb)	mg/kg	5 ³	N.D.	N.D.	100
Conclusion	I am Y	JAK.	Pass	Pass	LESTING

(2) Paint and similar surface coating material

Test method: Lead in paint and other similar surface coatings: With reference to CPSC-CH-E1003-09.1, sample was digested with acid mixture and analyzed by inductively coupled plasma atomic emission spectrometer (ICP-AES)

000.0		101 7120	Results	
ltem	Unit	MDL	NA NA	Limit
Lead Content (Pb)	mg/kg	5	NA NA	90
Conclusion	1	9 1	NA O	P



REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 11 of 22

E. USA Consumer Product Safety Improvement Act (CPSIA) Sec.108 Prohibition on sale of certain products containing specified phthalates

USA 16 CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates

Test method: With reference to CPSC-CH-C1001-09.4, by sol vent extraction and analysis was performed by

gas chromatographic-mass spectrometer (GC-MS).

lika wa	Unit	MDL	Results		1 ! !4
Item			1	2	Limit
Dibutyl Phthalate (DBP)	mg/kg	30	N.D.	N.D.	1000
Benzylbutyl Phthalate (BBP)	mg/kg	30	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	30	N.D.	N.D.	1000
Diisononyl Phthalate (DINP)	mg/kg	100	N.D.	N.D.	1000
Di-isobutyl Phthalate (DIBP)	mg/kg	100	N.D.	N.D.	1000
Dicyclohexyl Phthalate (DCHP)	mg/kg	100	N.D.	N.D.	1000
Di-n-hexyl Phthalate (DHEXP)	mg/kg	100	N.D.	N.D.	1000
Di-n-pentyl Phthalates (DPENP)	mg/kg	100	N.D.	N.D.	1000
Conclusion	1	NG	Pass	Pass	THE I TEST

Note:

- N.D. =Not Detected or less than MDL.
- MDL=Method Detection Limit.
- NA= Not Applicable
- %=Percentage by weight.
- 0.1%=1000mg/kg, mg/kg=ppm.

The selection of test portions is strongly recommended by the client and the conclusion of chemical test is only for the selected portion.



REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 12 of 22

F. CPSA Section 14(a) (5) Tracking Labels for Children's Products (15 USC §2063(a)(5) (CPSA))

Applicable Section	Description	Result
(a)(5) (A)	practicable, that will enable—	
(i)	the manufacturer to ascertain the location and date of production of the product, cohort information (including the batch, run number, or other identifying characteristic), and any other information determined by the manufacturer to facilitate ascertaining the specific source of the product by reference to those marks; and	Pass
(ii)	the ultimate purchaser to ascertain the manufacturer or private labeler, location and date of production of the product, and cohort information (including the batch, run number, or other identifying characteristic).	Pass
(B)	The Commission may, by regulation, exclude a specific product or class of products from the requirements in subparagraph (A) if the Commission determines that it is not practicable for such product or class of products to bear the marks required by such subparagraph. The Commission may establish alternative requirements for any product or class of products excluded under the preceding sentence consistent with the purposes described in clauses (i) and (ii) of subparagraph (A).	NA NA
	The Commission may by rule prescribe reasonable testing programs for any product which is subject to a consumer product safety rule under this Act, or a similar rule, regulation, standard, or ban under any other Act enforced by the Commission, and for which a certificate is required under subsection (a). Any	
(b)	test or testing program on the basis of which a certificate is issued under subsection (a) may, at the option of the person required to certify the product, be conducted by an independent third party qualified to perform such tests, unless the Commission, by rule, requires testing by an independent third party for a particular rule, regulation, standard, or ban, or for a particular class of products.	Pass MARK TESTING
(c)	The Commission may by rule require the use and prescribe the form and content of labels which contain the following information (or that portion of it specified in the rule) —	Pass
(1)	The date and place of manufacture of any consumer product.	Pass
(2)	The cohort information (including the batch, run number, or other identifying characteristic) of the product.	Pass
(3)	A suitable identification of the manufacturer of the consumer product, unless the product bears a private label in which case it shall identify the private labeler and shall also contain a code mark which will permit the seller of such product to identify the manufacturer thereof to the purchaser upon his request.	Pass
(4)	In the case of a consumer product subject to a consumer product safety rule, a certification that the product meets all applicable consumer product safety standards and a specification of the standards which are applicable. Such labels, where practicable, may be required by the Commission to be permanently marked on or affixed to any such consumer product. The	Pass





REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 13 of 22

Applicable Section	Description				
ESTING	Commission may, in appropriate cases, permit information required under paragraphs (1) and (2) of this subsection to be coded.				
(d)	REQUIREMENT FOR ADVERTISEMENTS.—No advertisement for a consumer product or label or packaging of such product may contain a reference to a consumer product safety rule or a voluntary consumer product safety standard unless such product conforms with the applicable safety requirements of such rule or standard.				
(e)	WITHDRAWAL OF ACCREDITATION-	Pass			
(f)	DEFINITIONSIn this section	Pass			
(g)	REQUIREMENTS FOR CERTIFICATES (1) IDENTIFICATION OF ISSUER AND CONFORMITY ASSESSMENT BODYEvery certificate required under this section shall identify the manufacturer or private labeler issuing the certificate and any third party conformity assessment body on whose testing the certificate depends. The certificate shall include, at a minimum, the date and place of manufacture, the date and place where the product was tested, each party's name, full mailing address, telephone number, and contact information for the individual responsible for maintaining records of test results.	Pass			
(h)	RULE OF CONSTRUCTION.	Pass			
(i)	ADDITIONAL REGULATIONS FOR THIRD PARTY TESTING	Pass			

** Modified History **

Revision	Description	Issued Data	Remark
Revision 1.0	Initial Test Report Release	2022/12/22	Jason Zhou
-			9
STING	STING		CTING
	C VTES	-6	TES



REPORT No.: HK22112310610-1RR Date: December 22, 2022

Page 14 of 22

Photograph of Sample







REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 15 of 22







REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 16 of 22







REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 17 of 22







REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 18 of 22







REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 19 of 22







REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 20 of 22





The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannont be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.

TEL: +86-755 2302 9901 FAX: +86-755 2302 9901 E-mail: service@cer-mark.com



REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 21 of 22





The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannont be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.

TEL: +86-755 2302 9901 FAX: +86-755 2302 9901 E-mail: service@cer-mark.com



REPORT No.: HK22112310610-1RR Date: December 22, 2022 Page 22 of 22



HUAK authenticate the photo on original report only

*** End of Report ***

Remark: This report is considered invalidated without the Special Seal for Inspection of the HUAK. This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of HUAK, this test report shall not be copied except in full and published as advertisement.

CATION